

APPENDIX A

Scorecard

DATA INDICATOR

Legend

An italicized indicator denotes qualitative data collected in a focus group or interview

Two dashes (--) = no data available

SPA = Service Planning Area

Black boxes indicate that the area performed worse than the benchmark

Grey boxes indicate the variable was used in a CHNA report.

Red boxes indicate the variable was identified as a health driver in 2016 scorecard

(*) = Restricted data

Please note that for most data indicators, it is possible to get further sub-population breakdowns by gender, FPL, age)

Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
HEALTH CHARACTERISTICS, NEEDS AND DRIVERS												
Demographics												
<i>Population Characteristics</i>												
Percent of population that are Children (Age 0-11)	2017	--	15.1%	15.7%*	16.70%	17.60%	15.50%	11.4%*	13.20%	13.60%	13.70%	
Percent of population that are Adolescents (Age 12-17)	2017	--	7.7%	9.1%*	6.8%*	6.2%*	7.0%*	3.2%*	11.9%*	6.5%*	11.00%	
Percent of population that are Adults (Age 18-64)	2017	--	63.7%	61.20%	63.20%	62.10%	62.10%	71.00%	65.70%	65.10%	62.40%	
Percent of population that are Seniors (Age 65+)	2017	--	13.5%	14.00%	13.30%	14.00%	15.40%	14.3%*	9.2%*	14.70%	12.90%	
Percent of population: Male	2017	--	49.3%	45.00%	54.10%	48.30%	51.40%	52.20%	47.70%	45.10%	46.60%	
Percent of population: Female	2017	--	50.7%	55.00%	45.90%	51.70%	48.60%	47.80%	52.30%	54.90%	53.40%	
Language spoken at home: English	2017	55.6%	43.1%									
Language spoken at home: Spanish	2017	28.9%	39.4%									
Citizenship: Not a US Citizen	2017	13.4%	16.9%									
Average family size	2017	3.54	3.69									
Social and Economic Factors Ranking LA county vs. 58 CA counties	2018		23									
<i>Educational attainment</i>												
Highest Educational Attainment: Grades 1-8	2017	--	10.8%	7.6%*	11.6%*	7.8%*	16.6%*	4.2%*	14.80%	13.9%*	7.2%*	
Highest Educational Attainment: Grades 9-11	2017	--	7.9%	11.4%*	7.5%*	8.4%*	5.2%*	1.5%*	14.6%*	10.1%*	5.7%*	
Highest Educational Attainment: High School	2017	--	21.5%	26.6%*	20.0%	20.6%	15.9%	11.5%*	26.0%	25.5%	25.8%	
Highest Educational Attainment: Some college (AA/AS degree)	2017	--	5.5%	7.1%*	4.4%*	4.1%*	6.5%*	4.6%*	6.5%*	6.2%*	6.3%*	
Highest Educational Attainment: Bachelor's degree	2017	--	23.1%	14.9%	24.3%	24.4%	24.8%	37.7%	10.8%	15.9%	28.1%	
Highest Educational Attainment: No formal education	2017	--	1.9%	--	0.3%*	1.3%*	--	--	4.2%*	3.9%*	1.5%*	
High School Graduation Rate	2017	83.3%	79.6%									
Percent 25 years and older who have high school diploma or higher education	2017	83.2%	79.6%	--	--	--	--	--	--	--	--	
Current Employment Status: FTE	2017		53.8%	50.9%*	57.8%	55.0%	51.2%	59.5%	51.2%	49.6%	52.3%	
Current Employment Status: PTE	2017		10.7%	4.1%*	10.4%*	11.6%	11.0%	9.7%*	11.9%*	10.4%*	11.2%	
Current Employment Status: Unemployed and looking for work	2017		4.4%	1.0%*	5.3%*	3.9%*	4.8%*	3.4%*	3.8%*	3.7%*	5.8%*	
Current Employment Status: Unemployed and NOT looking for work	2017		30.8%	44.0%*	26.2%	29.3%	32.6%	27.1%*	31.7%	36.4%	30.7%	
Access to Health Care: Health insurance coverage, Type of Coverage												
Percent of adults without health insurance	2017		9.0%	9.6%	6.2%	10.2%	8.9%	11.9%	4.3%	14.2%	10.3%	7.6%
Percent of youth (age 0-17) without health insurance			2.2%	1.9%	--	--	--	--	10.4%	--	--	
Health Insurance Coverage; Percent Total Population who are currently insured	2017		92.7%	92.2%	95.3%	91.6%	93.2%	90.8%	96.3%	86.8%	91.8%	94.1%
Health Insurance Coverage; Percent of Adults Ages (18-64) who are currently insured	2017		89.1%	88.5%	92.4%	87.7%	89.1%	85.2%	94.8%	83.8%	87.9%	91.0%
Health Insurance Coverage; Percent of youth (17 and under) who are currently insured	2017		97.8%	98.1%	100.0%	97.1%	100.0%	100.0%	100.0%	89.6%	100.0%	99.4%
<i>Type of Insurance Coverage</i>												
Medi-Cal	2017		25.0%	29.4%								
Healthy Families	2017		--	--								
Medicare Only	2017		1.6%	1.4%*								
Medicaid and Medicare	2017		4.3%	5.7%								

DATA INDICATOR

Legend

An italicized indicator denotes qualitative data collected in a focus group or interview
 Two dashes (--) = no data available
 SPA = Service Planning Area
 Black boxes indicate that the area performed worse than the benchmark
 Grey boxes indicate the variable was used in a CHNA report.
 Red boxes indicate the variable was identified as a health driver in 2016 scorecard
 (*) = Restricted data

Please note that for most data indicators, it is possible to get further sub--population breakdowns by gender, FPL, age)

	Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
Medicare & Others	2017		9.3%	7.5%									
Other Public	2017		1.5%	1.8%									
Employment based	2017		44.4%	39.8%									
Private Purchase	2017		6.5%	6.6%									
No Insurance	2017		7.3%	7.8%									
<i>Insurance Coverage: Age 0-17</i>													
Medi-Cal	2017		44.1%	45.5%									
Healthy Families	2017		--	--									
Medicare Only	2017		--	--									
Medicaid and Medicare	2017		--	--									
Medicare & Others	2017		--	--									
Other Public	2017		1.1%	0.8%*									
Employment based	2017		45.5%	44.4%									
Private Purchase	2017		5.1%	4.9%									
No Insurance	2017		2.2%	1.9%*									
<i>Insurance Coverage: Age 18-64</i>													
Medi-Cal	2017		18.7%	21.0%									
Healthy Families	2017		--	--									
Medicare Only	2017		0.8%	0.7%*									
Medicaid and Medicare	2017		1.9%*	2.1%*									
Medicare & Others	2017		0.2%*	0.2%*									
Other Public	2017		1.8%	1.9%									
Employment based	2017		51.5%	45.8%									
Private Purchase	2017		8.9%	8.9%									
No Insurance	2017		10.9%	11.5%									
<i>Insurance Coverage: Age 65+</i>													
Medi-Cal	2017		0.7%*	1.8%*									
Healthy Families	2017		--	--									
Medicare Only	2017		7.7%	6.9%*									
Medicaid and Medicare	2017		22.0%	32.2%									
Medicare & Others	2017		64.4%	55.2%									
Other Public	2017		0.3%*	0.2%*									
Employment based	2017		3.9%	2.9%*									
Private Purchase	2017		0.3%*	0.4%*									
No Insurance	2017		0.7%*	0.5%*									
Access to Health Care: Health insurance, source of care, delay of care													
<i>Source of Care</i>													
Source of Care: Dr. Office/HMO/Kaiser Permanente	2017		59.2%	54.2%									
Source of Care: Community Clinic/Govt Clinic/Community Hospital	2017		25.7%	28.0%									
Source of Care: Emergency Room/Urgen Care	2017		1.6%	2.4%									

DATA INDICATOR

Legend

An italicized indicator denotes qualitative data collected in a focus group or interview

Two dashes (--) = no data available

SPA = Service Planning Area

Black boxes indicate that the area performed worse than the benchmark

Grey boxes indicate the variable was used in a CHNA report.

Red boxes indicate the variable was identified as a health driver in 2016 scorecard

(*) = Restricted data

Please note that for most data indicators, it is possible to get further sub-population breakdowns by gender, FPL, age)

	Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
Source of Care: Other	2017		0.5%	0.4%*									
Source of Care: None	2017		13.0%	15.1%									
Percent who have a usual source of care	2017		87.0%	84.9%	86.9%	81.8%	86.9%	81.2%	87.5%	88.5%	79.8%		90.1%
Percent of youth (age 0-17) who have a usual source of care	2017		90.5%	88.9%	82.4%	81.5%	91.3%	89.1%	94.5%	97.1%	78.5%		97.9%
Percent of adults (age 18-64) who have usual source of care	2017		83.7%	81.6%	87.5%	78.9%	83.3%	77.4%	84.2%	84.9%	76.6%		85.9%
Percent of seniors (65 and over) who have a usual source of care	2017		95.5%	93.9%	92.7%	96.4%	95.0%	84.8%	96.8%	91.1%	95.5%		95.6%
Delay of Care													
Percent of adults who delayed or didn't get medical care	2017		12.4%	11.4%	12.3%	12.4%	11.0%	13.3%	11.0%	7.6%	9.3%		13.2%
Percent of youth (age 0-17) delayed or didn't get medical care	2017		3.7%	3.2%	--	--	--	--	--	4.7%	--		--
Percent of total population who had to forgo needed medical care	2017		62.1%	63.7%	67.3%	65.1%	61.7%	64.6%	60.0%	55.9%	67.3%		64.3%
Percent of adults who had to forgo needed medical care	2017		64.6%	65.6%	72.4%	70.1%	62.1%	66.1%	60.0%	55.6%	64.3%		66.3%
Percent who have used an emergency room in the past 12 months	2017		20.6%	21.7%	19.8%	25.8%	19.3%	16.3%	14.5%	23.9%	25.3%		22.0%
Percent of youth (Age 0-17) who have used an emergency room in the past 12 months	2017		18.0%	18.9%	--	26.3%	24.1%	15.6%	--	8.4%	19.7%		19.3%
Percent of adults (18-64) who have used an emergency room in the past 12 months	2017		21.0%	22.1%	22.6%	25.2%	17.3%	15.4%	16.9%	30.1%	25.5%		21.6%
Percent of seniors who have used an emergency room in the past 12 months	2017		23.6%	25.0%	28.9%	27.7%	19.8%	21.2%	15.2%	22.1%	32.0%		29.1%
Percent living under 100% Federal Poverty Level who have used an emergency room in the past 12 months	2017		26.0%	25.1%	27.0%	44.8%	27.2%	9.4%	30.8%	20.5%	26.5%		19.7%
Percent living between 100-199% Federal Poverty Level who have used an emergency room in the past 12 months	2017		24.2%	23.6%	23.3%	31.4%	23.0%	12.3%	22.1%	24.4%	24.8%		24.7%
Percent of adults who could not afford their medication	2011		--	15.4%	15.1%	15.8%	15.6%	15.3%	9.8%	18.8%	15.3%		15.1%
Percent of adults who delayed or didn't get prescription medicine	2017		10.1%	9.6%	12.0%	8.7%	6.5%	11.6%	11.5%	9.5%	7.9%		13.3%
Percent of youth (age 0-17) who delayed or didn't get prescription medicine	2017		3%	3.3%	--	--	--	--	--	9.5%	--		7.8%
Percent who delayed care due to cost or lack of insurance	2017		45.6%	46.0%	39.3%	47.1%	50.9%	55.3%	42.2%	35.1%	42.0%		43.4%
Percent of youth (Age 0-17) who delayed care due to cost or lack of insurance	2017		31.4%	60.9%	--	--	--	--	--	--	--		--
Percent of adults who had difficult time accessing primary care	2017		5.7%	5.0%	5.4%	6.7%	4.8%	5.4%	10.5%	3.5%	2.0%		3.4%
Percent who had a difficult time accessing services for their child	2011			12.3%	12.7%	9.6%	11.8%	12.1%	4.5%	17.7%	16.4%		10.1%
Percent living in a Health Professional Shortage Area	2015		25.2%	31.4%	--	--	--	--	--	--	--		--
Percent of adults who needed to see a medical specialist in the past year	2017		38.8%	37.4%	39.9%	38.1%	33.5%	32.8%	46.3%	31.2%	33.4%		47.6%
Percent who had a difficult time finding specialty care	2017		11.5%	11.5%	6.4%	14.2%	10.5%	13.3%	14.8%	11.0%	10.4%		9.0%
Ratio of population to primary care providers	2018		1,280:1	1,390:1	--	--	--	--	--	--	--		--
Transportation													
Percent unable to obtain medical care due to a lack of transportation	2014		--	7.4%	10.7%	6.1%	7.2%	9.7%	3.2%	12.5%	6.9%		6.2%
Chronic Diseases													
Health Status													
Percent who have a fair or poor health status	2017		16.6%	19.3%	23.4%	16.3%	15.7%	26.6%	9.5%	23.7%	22.8%		20.4%
Percent of youth who have a fair or poor health status	2017		4.6%	3.6%	--	--	--	--	--	--	3.4%		--
Percent of seniors who have a fair or poor health status	2017		24.1%	29.4%	44.8%	27.5%	18.9%	37.4%	22.4%	37.0%	29.5%		33.6%
Asthma													
Percent of total population diagnosed with asthma	2017		15.4%	15.1%	20.9%	17.2%	14.2%	12.6%	12.2%	12.5%	13.3%		17.8%
Percent of youth (Age 0-17) diagnosed with asthma	2017		13.8%	15.1%	7.5%	17.6%	16.6%	--	--	10.9%	8.6%		20.2%

DATA INDICATOR

Legend

An italicized indicator denotes qualitative data collected in a focus group or interview
 Two dashes (--) = no data available
 SPA = Service Planning Area
 Black boxes indicate that the area performed worse than the benchmark
 Grey boxes indicate the variable was used in a CHNA report.
 Red boxes indicate the variable was identified as a health driver in 2016 scorecard
 (*) = Restricted data

Please note that for most data indicators, it is possible to get further sub-population breakdowns by gender, FPL, age)

Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
Male Youth Age 0-17 diagnosed with asthma	2017	13.3%	15.7%									
Female Youth Age 0-17 diagnosed with asthma	2017	14.4%	14.5%									
Ethnicity: Latino youth (Age 0-17) diagnosed with asthma	2017	14.3%	15.3%									
Ethnicity: White youth (Age 0-17) diagnosed with asthma	2017	11.4%	7.9%									
Ethnicity: African American youth (Age 0-17) diagnosed with asthma	2017	27.6%	28.0%									
Ethnicity: Asian youth (Age 0-17) diagnosed with asthma	2017	10.4%	--									
Percent of population who take medication to control their asthma	2017	43.5%	43.5%	39.5%	49.8%	27.2%	46.2%	74.3%	51.6%	52.1%	35.2%	
Percent of youth (Age 0-17) who take medication to control their asthma	2017	39.2%	36.5%	--	--	--	--	--	--	--	--	--
Percent who went to the emergency room/urgent care for asthma in the last 12 months	2016	12.7%	13.1%	--	11.4%	14.4%	26.0%	--	14.2%	10.8%	12.5%	
Percent of youth who went to the emergency room/urgent care for asthma in the last 12 months	2016	10.5%	2.3%	--	--	--	--	--	--	--	--	--
Cancer, in General												
Rate of cancer incidence per 100,000 pop.	2015	404.0	(*)	--	--	--	--	--	--	--	--	--
Rate of breast cancer incidence per 100,00 pop.	2015	121.5	(*)	--	--	--	--	--	--	--	--	--
Rate of cervical cancer per 100,000 pop.	2015	7.2	(*)	--	--	--	--	--	--	--	--	--
Rate of colorectal cancer incidence per 100,000 pop.	2015	36.2	(*)	--	--	--	--	--	--	--	--	--
Rate of prostate cancer incidence per 100,000 pop.	2015	101.2	(*)	--	--	--	--	--	--	--	--	--
Rate of lung cancer incidence per 100,000 pop.	2015	43.3	(*)	--	--	--	--	--	--	--	--	--
Cardiovascular Disease/Heart Disease												
Percent of adults diagnosed with heart disease	2017	6.6%	6.6%	9.7%	6.2%	7.1%	7.8%	4.2%	8.5%	5.2%	5.8%	
Percent of adults who feel very confident in their ability to manage their heart disease	2014	53.6%	53.5%	50.3%	56.2%	56.6%	29.4%	66.7%	62.4%	40.4%	53.6%	
Percent of adults who feel somewhat confident in their ability to manage their heart disease	2014	34.9%	36.0%	24.1%	42.0%	42.1%	53.2%	30.7%	33.3%	28.4%	32.5%	
Percent of adults who do not feel confident in their ability to manage their heart disease	2014	11.5%	10.4%	25.6%	1.8%	1.4%	17.4%	-	4.2%	31.2%	-	
Percent who have a heart disease management plan	2017	76.3%	76.8%	71.2%	94.7%	72.2%	63.1%	81.1%	73.3%	72.4%	77.7%	
Diabetes												
Adult Diabetes: percent Diagnosed with diabetes	2017	10.7%	12.1%	10.5%	9.6%	9.3%	11.6%	4.5%	17.8%	15.8%	16.1%	
Adult Diabetes: Percent diagnosed pre/borderline diabetic	2017	15.6%	17.4%	22.0%	16.7%	16.3%	14.0%	12.2%	16.2%	20.1%	22.2%	
Adult Diabetes: Percent very confident to control condition	2017	60.1%	56.7%	75.3%*	58.1%*	58.7%*	54.4%	26.8%*	65.2%*	49.4%*	56.6%	
Adult Diabetes: Percent confident to control condition	2017	32.7%	33.5%	8.9%*	35.0%*	26.6%*	31.9%*	67.1%	21.4%*	39.9%*	40.2%	
Adult Diabetes: Percent not confident to control condition	2017	7.2%*	9.9%*	15.9%*	6.9%*	14.7%*	13.7%*	--	13.4%*	10.7%*	3.2%	
Disability												
Percent of adults diagnosed with a disability	2016	29.7%	30.7%	39.6%	31.8%	21.7%	34.0%	31.7%	38.8%	32.3%	28.3%	
Percent who could not work due to a physical/mental impairment	2016	7.0%	6.9%	9.5%	7.8%	5.5%	7.3%	7.3%	9.6%	3.8%	6.5%	
HIV/AIDS												
Percent of adults who have ever been tested for HIV	2017	49.8%	52.5%	58.1%	49.1%	46.2%	56.0%	55.7%	66.0%	50.8%	51.8%	
Rate of HIV diagnosis per 100,000 pop.	2016	<=13.0	19.0	10.0	13.0	10.0	48.0	9.0	32.0	14.0	17.0	
Rate of AIDS diagnosis per 100,000 pop.	2016	--	7	3	4	4	15	3	12	5	6	
Rate of those living with HIV per 100,000 pop.	2017	--	501.0	281.0	330.0	209.0	1,547.0	376.0	600.0	272.0	501.0	
Rate of deaths from HIV per 100,000 pop.	2016	--	6	6	3	3	13	4	9	3	7	

DATA INDICATOR

Legend

An italicized indicator denotes qualitative data collected in a focus group or interview

Two dashes (--) = no data available

SPA = Service Planning Area

Black boxes indicate that the area performed worse than the benchmark

Grey boxes indicate the variable was used in a CHNA report.

Red boxes indicate the variable was identified as a health driver in 2016 scorecard

(*) = Restricted data

Please note that for most data indicators, it is possible to get further sub--population breakdowns by gender, FPL, age)

Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
Hypertension												
Percent diagnosed with high blood pressure	2017	<=26.9%	29.0%	30.0%	39.7%	29.0%	30.2%	24.4%	22.5%	32.7%	34.4%	30.8%
Percent who take medication for high blood pressure	2017		70.7%	72.6%	72.0%*	71.6%	74.5%*	71.3%*	63.9%*	78.2%*	66.9%*	77.6%*
Early Childhood Development and Health												
Maternal and Infant Health												
Percent of infants with low birth weight (under 2500 grams)	2017	7.80%	6.8%	7.1%								
Percent of live births with mothers who entered prenatal care late	2017		3.7%	3.4%								
Percent of children (Age 3 and under) who were breastfed or fed breast milk	2017		92.3%	96.3%	100.0%	100.0%	81.5%	100.0%	100.0%	97.3%	100.0%	100.0%
Percent of children 0-5 years who were breast fed at least 6 months	2017		--	49.7%	30.0%	49.3%	51.0%	55.9%	66.8%	44.7%	45.0%	52.4%
Percent of Children (age 1 - 5 years) who were Breastfed by their Biological Mothers at least 12 Months.	2015		--	27.6%	17.8%	37.9%	16.5%	24.7%	43.8%	31.7%	29.8%	22.4%
Infant mortality per 1,000 live births	2017	6	4.6%	4.4%								
Early Childhood Development and Parenting												
Percent of children attending preschool, nursery school or head start	2017			17.0%	--	13.2%	36.0%	10.8%	24.3%	--	--	27.9%
Parents concerned about the child's learning and development (1)	2014		--	18.1%								
Doctor/other professional referred child to specialist regarding development	2017		14.0%	14.9%								
Condition that limits or prevents activities that are usual for child's age	2017		4.8%	2.5%*								
Child received psychological/emotional counseling in past year	2017		8.8%	8.4%								
Doctor/other professional referred child to specialist for speech, language, or hearing tests	2017		20.4%	23.2%								
Child has difficulties with emotion/concentration/behavior in past 6 months	2017		17.9%	14.9%								
Doctor/other professional noted concerns to monitor child	2017		13.0%	13.1%								
Percent of Children (0-5 years old) Whose Parent/Guardian/Decision Maker Reported That it Is Easy (Very or Somewhat) to Find Someone To Talk To When They Need Advice on How To Raise Their Child.	2015			86.6%	91.3%	86.5%	84.9%	86.1%	92.0%	86.4%	76.0%	94.9%
Mental Health												
Average Number of Activity Limitation Days in the Past Month for Adults (18+ years) Due to Poor Physical and/or Mental Health.	2015			2.3	3.2	2.5	2.0	2.7	1.8	2.6	2.0	2.1
Percent who ever seriously thought about committing suicide	2017		11.6%	9.6%	16.0%	7.9%	9.6%	8.7%	13.2%	8.3%	10.5%	9.4%
Percent of Adults who had serious psychological distress in past year	2017		10.0%	9.7%	7.3%	7.6%	11.0%	10.9%	9.2%	9.3%	12.4%	9.0%
Percent of teens and adults who likely has had serious psychological distress during past month	2017		4.4%	4.4%	3.6%	3.2%	4.2%	5.1%	3.2%	5.0%	5.9%	4.4%
Percent of adults who needed help with an emotional/mental health problem from use of alcohol or drugs	2017		18.5%	17.1%	16.4%	17.6%	15.3%	15.5%	23.0%	14.7%	14.0%	21.1%
Percent of teens who needed help with an emotional/mental health problem from use of alcohol or drugs	2017		19.8%	24.3%	--	--	--	--	--	--	41.2%	--
Percent of adults who took prescription medication for an emotional/mental health issue in the past year	2017		10.4%	8.8%	10.3%	11.0%	7.6%	8.7%	13.2%	7.0%	4.1%	9.8%

DATA INDICATOR

Legend

An italicized indicator denotes qualitative data collected in a focus group or interview

Two dashes (--) = no data available

SPA = Service Planning Area

Black boxes indicate that the area performed worse than the benchmark

Grey boxes indicate the variable was used in a CHNA report.

Red boxes indicate the variable was identified as a health driver in 2016 scorecard

(*) = Restricted data

Please note that for most data indicators, it is possible to get further sub-population breakdowns by gender, FPL, age)

	Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
Percent of adults who saw a healthcare provider for an emotional/mental and/or alcohol or drug issue in the past year	2017		15.2%	15.1%	15.9%	13.7%	16.0%	17.8%	17.4%	13.4%	12.2%	16.4%	
Percent of teens who received psychological and emotional counseling in the past 12 months	2017		14.8%	16.8%	--	11.2%	33.7%	--	--	--	--	20.4%	
Percent who sought help for self-reported mental/emotional and/or alcohol-drug issue(s)	2017		39.7%	39.9%	34.6%	49.3%	41.5%	27.7%	45.0%	36.6%	30.7%	39.9%	
Percent of adults whose emotions impaired their work in the past 12 months	2017		14.4%	14.6%	10.3%	13.3%	16.8%	18.9%	15.2%	11.9%	13.1%	14.4%	
Percent of adults whose emotions impaired their family life in the past 12 months	2017		15.7%	15.3%	12.8%	13.0%	16.1%	17.9%	15.0%	14.2%	16.2%	16.4%	
Percent of adults whose emotions impaired their social life in the past 12 months	2017		16.0%	16.6%	12.3%	14.5%	16.7%	19.1%	14.9%	13.5%	18.1%	16.4%	
Preventative Health Behaviors													
Preventative Health Care													
Percent of Adults (age 65+ years) Who Ever had a Pneumonia Shot.	2015	93	--	62.0%	69.9%	65.0%	59.5%	65.8%	61.2%	51.1%	60.9%	62.4%	
Percent of Seniors (65 and over) who received an influenza vaccination in the past year	2016		69.3%	67.4%	63.7%*	74.0%	69.4%	63.2%*	71.2%*	54.6%*	64.7%*	67.1%	
Percent of Adults (Age: 18-64) who received an influenza vaccination in the past year	2016		37.7%	34.3%	36.1%	35.5%	31.0%	35.4%	33.2%	40.0%	34.3%	33.1%	
Percent of youth (Age 0-17) who received an influenza vaccination in the past year	2016		49.6%	54.4%	39.0%*	48.4%	55.5%*	69.1%*	64.9%*	48.7%*	42.4%	54.4%	
Percent who visited a doctor in the last year	2014		80.9%	80.6%	77.2%	80.2%	81.1%	72.9%	83.1%	83.7%	77.1%	86.7%	
Percent of youth who visited a doctor in the last year	2014		87.8%	91.9%	81.3%	92.2%	94.7%	92.8%	100.0%	88.1%	95.3%	89.1%	
Physical activity													
Percent of adults physically active at least 20 minutes a day in a week	2017		19.2%	18.9%	17.9%	19.1%	17.5%	19.3%	16.2%	21.1%	21.9%	17.4%	
Percent who walked to work (Age 16 and over)	2017		2.7%	2.7%									
Percent of children or teens who visited a park or other open space in the last month	2017		83.9%	83.3%	75.0%	88.0%	88.3%	86.5%	88.0%	72.6%	87.8%	82.6%	
Percent of children who did not engage in physical activity in a given week	2017		8.3%	4.3%	--	--	--	--	--	--	--	--	
Percent of teens who did not engage in physical activity in a given week	2016		9.2%	6.1%	--	--	9.2%	33.7%	--	22.9%	2.8%	2.0%	
Percent of children who engaged in physical activity 3 or more days a week	2017		78.3%	77.2%	88.1%	80.0%	62.3%	88.3%	55.8%	81.4%	71.2%	90.3%	
5th graders: Fitnessgram test- Percent in Healty Fitness Zone in Aerobic Capacity	2018		61.9%	58.9%									
7th graders: Fitnessgram test- Percent in Healty Fitness Zone in Aerobic Capacity	2018		63.6%	60.1%									
9th graders: Fitnessgram test- Percent in Healty Fitness Zone in Aerobic Capacity	2018		61.7%	56.2%									
Nutrition													
Percent of adults who consumed at least two or more sodas per week	2017		24.1%	25.3%	26.7%	24.7%	24.5%	26.9%	15.8%	35.3%	23.1%	25.2%	
Percent of children who ate 5 or more fresh fruits and vegetables per day	2017		26.7%	24.6%	13.3%	32.0%	31.7%	26.6%	15.4%	14.6%	12.9%	17.0%	
Percent of teens who ate 5 or more fresh fruits and vegetables per day	2017		25.6%	32.4%	--	25.2%	21.4%	--	--	55.7%	--	26.1%	
Percent of children and teens who consumed two or more fruit servings the day before	2017		66.9%	69.6%	59.9%	69.7%	71.7%	66.6%	52.5%	80.4%	59.1%	75.5%	
Percent of children and teens who consumed two or more glasses of soda the day before	2017		4.1%	4.3%									
Percent of children and teens who consumed two or more glasses of sugary drinks (other than soda) the day before	2017		10.4%	9.2%									
Percent of population who ate fast food 3 or more times in the past week	2016		25.0%	28.0%	37.7%	28.1%	28.5%	22.9%	22.0%	25.4%	28.3%	22.4%	
Percent of youth (Age 0-17) who ate fast food 3 or more times in the past week	2016		23.4%	22.4%	44.2%	22.5%	9.0%	21.2%	--	23.9%	25.0%	23.7%	
Percent of adults (18-64) who ate fast food 3 or more times in the past week	2016		32.3%	26.4%	--	--	--	--	--	--	--	--	

DATA INDICATOR

Legend

An italicized indicator denotes qualitative data collected in a focus group or interview

Two dashes (--) = no data available

SPA = Service Planning Area

Black boxes indicate that the area performed worse than the benchmark

Grey boxes indicate the variable was used in a CHNA report.

Red boxes indicate the variable was identified as a health driver in 2016 scorecard

(*) = Restricted data

Please note that for most data indicators, it is possible to get further sub-population breakdowns by gender, FPL, age)

	Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
Percent of seniors (65 and over) who ate fast food 3 or more times in the past week	2016		28.2%	32.5%	--	--	--	--	--	--	--	--	
Ratio of mental health care providers to population	2016		360:1	370:1	--	--	--	--	--	--	--	--	
County Health Behavior Ranking (out of 58)	2018			11									
Women's Health													
Women 30+ Years, Had a Mammogram in Past Two Years	2016		76.1%	78.2%	77.3%*	85.6%*	74.2%*	71.5%*	71.5%*	86.6%*	78.1%*	76.5%*	
Percent of Women (ages 21-65 years) Who Reported Having a Pap Smear within the Past 3 Years.	2015		--	84.4%	89.3%	88.2%	81.2%	78.4%	88.7%	84.2%	85.9%	83.1%	
Oral Health Behaviors													
Oral Health Care													
Dentist ratio to population	2018		1,210:1	1,200:1	--	--	--	--	--	--	--	--	
Condition of Teeth: Percent of adults with poor dental health or no natural teeth	2017		9.5%	9.5%	13.9%	10.4%	11.2%	10.0%	1.9%	11.2%	9.8%	6.8%	
Percent of adults who have never been to a dentist	2017		2.5%	3.3%	--	2.5%	2.6%	4.5%	--	6.9%	2.9%	2.6%	
Percent of teens who have never been to dentist	2017		1.2%	--	--	--	--	--	--	--	--	--	
Percent of children who have never been to dentist	2017		14.0%	12.4%	--	21.0%	3.9%	10.0%	--	24.7%	15.3%	--	
Percent of adults who visited a dentist in the last year	2017		72.8%	70.2%	64.3%	73.2%	73.3%	62.0%	78.2%	66.5%	69.4%	69.4%	
Percent of children who visited a dentist in the last year	2017		84.4%	85.7%	84.6%	75.9%	93.5%	90.0%	85.4%	71.9%	84.7%	96.4%	
Percent of Children (age 3-17 years) Who Were Unable to Afford Dental Care and Check-Ups in the Past Year.	2015			11.5%	14.2%	10.3%	9.9%	15.5%	13.3%	10.4%	11.5%	11.9%	
Dental Care Access													
Percent living in a dental provider Health Professional Shortage Area	2015		4.9%	2.0%	--	--	--	--	--	--	--	--	
Percent of adults with dental insurance	2017		65.1%	61.1%	64.6%	60.8%	64.2%	56.1%	67.7%	50.0%	60.8%	65.5%	
Percent of teens who have never been to a dentist due to cost or lack of insurance	2014		30.6%	39.0%	52.5%	17.1%	73.5%	54.2%	49.3%	75.3%	10.8%	31.4%	
Percent of children who have never been to a dentist due to cost or lack of insurance	2014		10.4%	10.0%	--	11.4%	5.6%	9.2%	13.2%	12.0%	15.7%	6.5%	
Percent of youth with dental insurance	2017		87.6%	86.1%	79.6%	87.7%	94.1%	76.3%	77.7%	74.9%	100.0%	79.7%	
Ratio of dentists to population	2016		1,260:1	1,260:1	--	--	--	--	--	--	--	--	
Obesity/Overweight													
Percent of adults who are overweight	2017		33.9%	32.9%	31.0%	32.6%	34.3%	31.2%	24.8%	39.7%	30.0%	35.2%	
Percent of adults who are obese	2017	<=30.5%	26.4%	28.2%	40.2%	27.5%	22.0%	28.7%	20.5%	34.6%	34.5%	27.0%	
Percent of teens who are overweight	2017		15.1%	12.5%	--	--	12.3%	--	--	52.3%	--	--	
Percent of teens who are obese	2017		14.6%	14.0%	--	--	--	--	--	--	--	--	
Percent of children who are overweight	2017		14.5%	11.4%	--	14.2%	5.8%	17.8%	--	27.8%	4.8%	8.9%	
Ethnicity: Percent of Adult African Americans with Body Mass Index considered overweight or obese	2017		71.8%	74.4%									
Ethnicity: Percent of Adult Asians with Body Mass Index considered overweight or obese	2017		39.5%	36.9%									
Ethnicity: Percent of Adult Latinos with Body Mass Index considered overweight or obese	2017		70.4%	70.8%									
Ethnicity: Percent of Adult Whites with Body Mass Index considered overweight or obese	2017		57.3%	55.0%									
5th graders: Fitnessgram test- body composition area needs improvement/health risk	2018		21.3%	24.9%									

DATA INDICATOR		Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
Legend														
An italicized indicator denotes qualitative data collected in a focus group or interview														
Two dashes (--) = no data available														
SPA = Service Planning Area														
Black boxes indicate that the area performed worse than the benchmark														
Grey boxes indicate the variable was used in a CHNA report.														
Red boxes indicate the variable was identified as a health driver in 2016 scorecard														
(*) = Restricted data														
Please note that for most data indicators, it is possible to get further sub-population breakdowns by gender, FPL, age)														
7th graders: Fitnessgram test- body composition area needs improvement/health risk	2018		19.8%	22.7%										
9th graders: Fitnessgram test- body composition area needs improvement/health risk	2018		18.4%	20.7%										
At Risk Behaviors														
Sexual Behavior and Health														
Percent of teens who are not sexually active	2017		86.4%	86.5%	100.0%	76.7%	96.0%	100.0%	63.1%	100.0%	100.0%	72.5%		
Rate of chlamydia incidence per 100,000 pop.	2015		459.9	541.4										
Rate of gonorrhea incidence rate per 100,000 pop.^	2015		118.5	151.3										
Rate of primary and secondary syphilis incidence per 100,000 pop.^	2015		10.0	11.9										
Rate of early latent syphilis per 100,000 pop.	2015		8.9	14.8										
Percent of live births to teen mothers (15-19 years old)	2018		21.0%	20.9%										
Alcohol and Substance Abuse														
Percent of adults who binge drank (5 or more) in the past year	2015		34.7%	33.8%	33.1%	35.6%	27.0%	45.1%	34.5%	30.1%	27.0%	38.2%		
Percent of teens who binge drank (5 or more) in the past year	2017		5.8%	7.3%	--	--	--	--	--	--	--	--		
Percent of teens who ever had an alcoholic drink	2017		22.6%	21.2%	17.6%	41.3%	--	--	79.2%	--	--	25.3%		
Percent of population who are smokers	2018		11.0%	11.0%										
Percent of adults who currently smoke	2017		10.2%	9.0%	10.3%	7.6%	9.1%	11.5%	5.2%	13.3%	7.6%	8.5%		
Percent of young adults 18-24 years old who smoke	2017		7.4%	5.2%	--	4.1%	8.5%	--	--	11.6%	--	5.0%		
Percent of adults who have ever smoked e-cigarette's	2017		17.9%	17.1%	12.7%	18.4%	18.1%	18.3%	20.3%	15.1%	10.8%	19.9%		
Percent who ever tried marijuana or Hashish (Age 17 and under)	2017		12.4%	14.7%	--	--	--	--	66.9%	--	--	--		
Air Quality														
Number of days where Ozone levels were above the standard	2016		22	60	--	--	--	--	--	--	--	--		
Annual average particulate matter concentration (micrograms per cubic meter)	2016		9	12	--	--	--	--	--	--	--	--		
Other Family and Community Socio-Economics														
Cultural and Linguistic Barriers														
Percent who had a difficult time understanding their doctor	2017		3.1%	3.6%	4.6%	3.4%	2.4%	3.8%	--	4.0%	6.1%	4.0%		
Percent who live in homes in which English is not spoken (linguistically isolated)	2014		9.5%	12.7%	--	--	--	--	--	--	--	--		
Percent who speak a language other than English	2014		19.1%	25.8%	--	--	--	--	--	--	--	--		
Economic Security														
Percent of population living with income below 100% Federal Poverty Level	2017		16.8%	20.6%	16.2%	14.2%	19.1%	25.9%	9.0%	38.6%	28.8%	14.8%		x
Percent of population living with income below 100-199% Federal Poverty Level	2017		18.1%	18.2%	30.4%	16.8%	15.2%	22.7%	9.6%	20.4%	20.4%	17.6%		x
Percent of Population living 200-299 below the Federal Poverty Level	2017		12.9%	13.6%	14.1%	15.8%	13.5%	9.5%	8.8%	14.3%	12.4%	16.2%		
Percent of Population living more than 300% below the Federal Poverty level	2017		52.3%	47.5%	39.3%	53.2%	52.2%	42.0%	72.5%	26.7%	38.4%	51.4%		
Percent of Youth (0-17) living 100% below the Federal Poverty Level	2017		21.0%	27.4%	17.7%	14.8%	29.1%	37.2%	--	50.3%	39.6%	21.0%		
Percent of Youth (0-17) living 100-199% below the Federal Poverty Level	2017		19.5%	15.2%	40.1%	16.6%	12.4%	21.6%	--	10.1%	10.6%	13.3%		
Percent of Youth (0-17) living 200-299 below the Federal Poverty level	2017		13.4%	15.8%	15.3%	17.3%	15.3%	--	12.7%	14.9%	15.7%	23.1%		
Percent of Youth (0-17) living more than 300% below the Federal Poverty level	2017		46.0%	41.5%	26.8%	51.4%	43.2%	35.8%	72.9%	24.6%	34.2%	42.7%		
Youth (under 18) in poverty	2017		20.7%	24.0%										
Female head of household with youth (under 18) in poverty	2017													
Percent of households where housing costs exceed 30% of total household income	2014		45.0%	49.9%	--	--	--	--	--	--	--	--		

DATA INDICATOR

Legend

An italicized indicator denotes qualitative data collected in a focus group or interview

Two dashes (--) = no data available

SPA = Service Planning Area

Black boxes indicate that the area performed worse than the benchmark

Grey boxes indicate the variable was used in a CHNA report.

Red boxes indicate the variable was identified as a health driver in 2016 scorecard

(*) = Restricted data

Please note that for most data indicators, it is possible to get further sub-population breakdowns by gender, FPL, age)

	Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
Elderly single/couple income below county cost of living thresholds	2017		23.0%	28.0%	30.6%	20.6%	29.2%	47.9%	11.7%	51.2%	28.2%	19.0%	
Percent of students eligible for free/reduced price meals	2017		60.1%	69.3%	--	--	--	--	--	--	--	--	x
WIC usage among qualified adults	2014		53.5%	59.7%	--	54.1%	54.1%	87.1%	--	64.8%	74.3%	24.6%	
Percent on WIC--children 6 years and younger	2016		44.7%	52.7%	41.8%	26.8%	70.3%	56.8%	--	66.2%	49.7%	82.7%	x
Percent receiving food stamps	2016		23.1%	21.7%	14.8%	17.5%	17.8%	27.3%	12.7%	31.4%	24.6%	18.8%	x
Percent receiving TANF or CalWORKS	2016		10.2%	9.9%	7.8%	4.1%	8.5%	14.5%	1.3%	17.7%	11.0%	0.9%	x
Rate of unemployment	2017		7.7	7.8	--	--	--	--	--	--	--	--	x
Access to Food													
Percent who are unable to afford enough food (food insecurity)	2017		40.8%	40.2%	53.6%	42.5%	38.4%	31.9%	40.9%	43.2%	41.4%	37.8%	x
Percent of Children (0-17 years old) Whose Parent/Guardian/Decision Maker Reported Rating Community's Access to Fresh Fruits/Vegetables as Excellent or Good.	2015		--	75.0%	70.0%	81.4%	83.4%	69.8%	92.7%	54.8%	70.8%	77.1%	
Percent who reported the availability of affordable fresh fruits and vegetables in their neighborhood	2014		98.9%	98.8%	93.1%	99.6%	98.8%	99.9%	97.8%	99.5%	97.1%	99.8%	
Community Safety and Violence Among Youth													
Percent of teens who feared being attacked at school in the past year	2017		9.2%	--	--	--	--	--	--	--	--	--	
Percent of teens who perceive their neighborhood park or playground as safe	2017		94.9%	93.2%	100.0%	100.0%	100.0%	68.3%	100.0%	100.0%	96.6%	85.6%	
Percent of youth(1-17 years old) Reported Easy Access to a Park, Playground or Other Safe Place to Play	2015		--	86.8%	87.1%	86.3%	91.5%	81.9%	90.2%	78.5%	90.8%	87.7%	
Percent of Children (0-17 years old) Whose Parent/Guardian/Decision Maker Reported Rating Community's Public Safety as Excellent or Good.	2015		--	63.6%	53.9%	71.0%	75.0%	55.5%	85.8%	41.3%	58.4%	65.4%	
Percent of teens who received threats of violence or physical harm by peers in the past year	2017		9.1%	2.9%*	--	--	--	--	--	--	--	--	
Rate of juvenile felony arrest per 1,000 youth	2015		5.3	5.1	--	--	--	--	--	--	--	--	
Arrest Rate of persons under age 18 (per 100,000 aged 10-17) for Robbery	2014		65.0	77.0	--	--	--	--	--	--	--	--	
Arrest Rate of persons under age 18 (per 100,000 aged 10-17) for Loitering/Curfew	2014		76.0	119.0	--	--	--	--	--	--	--	--	
Percent of public school staff reporting High School Student bullying/harrassment is a problem at school	2015		34.1	31.9	--	--	--	--	--	--	--	--	
Rate of homicide per 100,000 pop.	2017	<=5.5	4.6	5.6	--	--	--	--	--	--	--	--	
Rate of non-fatal assaults per 100,000 pop.	2017		266.1	330.5	--	--	--	--	--	--	--	--	
Rate of violent crimes per 100,000 pop.	2017		450.7	583.4	--	--	--	--	--	--	--	--	
Rate of robberies per 100,000 pop.	2017		142.9	205.3	--	--	--	--	--	--	--	--	
CA OTS Ranking: Total Fatal and Injury by County (out of 58)	2016			2									
CA OTS Ranking: Pedestrian collision by County (out of 58)	2016			3									
CA OTS Ranking: Drinking Driver under 21 by County (out of 58)	2016			18									
CA OTS Ranking: Nighttime (9:00pm – 2:59am) by County (out of 58)	2016			1									
Access to Shelter													
Homelessness													
Total number of homeless individuals	2018		--	49,955	3,203	7,478	3,605	14,218	4,401	8,343	4,569	4,138	
Total number of homeless youth	2015		--	280	29	40	11	73	4	95	15	13	

DATA INDICATOR

Legend

An italicized indicator denotes qualitative data collected in a focus group or interview

Two dashes (--) = no data available

SPA = Service Planning Area

Black boxes indicate that the area performed worse than the benchmark

Grey boxes indicate the variable was used in a CHNA report.

Red boxes indicate the variable was identified as a health driver in 2016 scorecard

(*) = Restricted data

Please note that for most data indicators, it is possible to get further sub--population breakdowns by gender, FPL, age)

	Year of Data	Healthy People 2020 Target	California	Los Angeles County	SPA 1 - Antelope Valley	SPA 2 - San Fernando	SPA 3 - San Gabriel	SPA 4 - Metro	SPA 5 - West	SPA 6 - South	SPA 7 - East	SPA 8 - South Bay/Harbor	Online Survey (n=47)
Total number of homeless that are mentally ill	2015		--	12,253	525	2,095	627	3,408	1,748	1,894	1,082	825	
Total number of homeless with a physical disability	2015		--	8,148	587	1,097	572	2,035	1,077	1,349	738	569	
Total number of homeless with a substance abuse problem	2015		--	10,388	325	1,403	740	2,843	1,147	1,284	1,564	1,084	
Total number of veterans who are homeless	2015		--	4,016	79	587	239	1,237	888	472	287	575	
Homelessness: Percent of homeless who are single adults	2018			84.1%	78.4%	77.2%	87.2%	89.7%	85.5%	80.6%	85.2%	83.5%	
Homelessness: Percent of homeless who are families	2018			15.8%	21.6%	22.8%	12.8%	9.9%	14.4%	19.4%	14.7%	16.5%	
Homelessness: Percent of homeless who are unaccompanied minors	2018			0.1%	0.0%	0.0%	0.0%	0.3%	0.1%	0.1%	0.0%	0.1%	
Homelessness: Percent chronically homeless	2018			26.6%	29.4%	24.6%	33.8%	31.7%	25.7%	21.3%	19.5%	23.5%	
Homelessness: Percent with substance abuse	2018			14.8%	3.1%	17.2%	21.7%	19.0%	12.4%	11.9%	9.0%	12.4%	
Homelessness: Percent who have HIV/AIDS	2018			1.5%	0.3%	1.3%	0.7%	3.4%	0.9%	0.7%	0.5%	0.0%	
Homelessness: Percent who have serious Mental Illness	2018			26.8%	34.6%	27.9%	32.7%	31.4%	30.6%	16.5%	19.0%	21.9%	
Homelessness: Percent who are survivors of domestic violence	2018			29.6%	24.9%	29.7%	37.8%	33.5%	34.1%	24.2%	27.7%	19.1%	
Homelessness: Percent who are veterans	2018			7.1%	7.8%	5.0%	6.4%	7.6%	11.0%	5.4%	6.6%	8.8%	
Homelessness: Percent who are under 18	2018			9.5%	13.9%	12.7%	7.7%	6.2%	8.7%	11.9%	8.8%	9.7%	
Housing													
Percent of occupied housing with one or more substandard conditions	2014		47.5%	54.0%	--	--	--	--	--	--	--	--	
Percent of housing units that are vacant	2014		8.5%	6.4%	--	--	--	--	--	--	--	--	
Rate of HUD-assisted units per 10,000 housing units	2013		368.3	439.3	--	--	--	--	--	--	--	--	
Housing units: owner occupied	2017		54.9%	45.9%									
Housing units: renter occupied	2017		45.5%	54.1%									

APPENDIX B

Prioritization Survey



The Center for Nonprofit Management (CNM) is working with Children's Hospital Los Angeles (CHLA) to conduct CHLA's 2019 Community Health Needs Assessment. The needs assessment is a systematic process that identifies key health needs and issues through data collection and analysis. At CHLA, this process will help us to identify and understand our community's demographics, health disparities, and the social determinants of health affecting children, adolescents, and their families.

The information you provide will be kept confidential and will only be reported in summary form and will not be associated with your name.

As a member of our community, we ask you to participate in a brief online survey to share your insight regarding key health needs and issues affecting the communities we serve.

In addition, we hope to identify opportunities to actively address the community needs, be it through strengthening our existing programs and services or creating new collaboratives.

Together, we can make meaningful steps towards carrying out our mission of Creating Hope and Building Healthier Futures.

Thank you for your participation.

1. What is the most common healthcare coverage that community members (including yourself) are most likely to have?

- Medicare
- Medicaid
- Private insurance (Kaiser Permanente, Anthem Blue Cross, Humana, etc.)
- I don't have healthcare coverage
- Other (please specify)

2. Please rate how you describe the overall health of yourself, your family members and community members/neighbors.

	Excellent	Very Good	Good	Fair	Poor
Yourself	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Family members	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Community members	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

3. What were the major health conditions facing community members (including yourself) in the last year?
Please select the top 5

- Access to health care
- Chronic disease conditions (i.e. diabetes, heart disease, high blood pressure, asthma, disability, HIV/AIDS)
- Community safety and violence among youth
- Early childhood development
- Mental health
- Nutrition and physical activity
- Oral health care
- Overweight and obesity
- Youth at-risk behaviors
- Youth development and workforce training
- Other (please specify)

4. What resources (i.e., organizations/programs/services) exist community members can go to for help? Please specify by issue.

Access to health care

Chronic disease conditions (i.e. diabetes, heart disease, high blood pressure, asthma, disability, HIV/AIDS)

Community safety and violence among youth

Early childhood development

Mental health

Nutrition and physical activity

Oral health care

Overweight and obesity

Youth at-risk behaviors

Youth development and workforce training

Other (please specify)

5. Which of the issues do community members have the most difficult time receiving assistance with?

Select the top 5

- Access to health care
- Chronic disease conditions (i.e. diabetes, heart disease, high blood pressure, asthma, disability, HIV/AIDS)
- Community safety and violence among youth
- Early childhood development
- Mental health
- Nutrition and physical activity
- Oral health care
- Overweight and obesity
- Youth at-risk behaviors
- Youth development and workforce training
- Other (please specify)

6. Are there services (health and otherwise) that youth under the age of 18 years old have a particularly difficult time accessing?

7. In the last year, were community members (including yourself) able to access the needed health or social support services they needed?

- Yes, always
- Yes, mostly
- Sometimes
- Very few times
- Not At All

8. Who in Los Angeles County is most impacted? If possible, please specify any ethnic groups, age groups, communities or areas in Los Angeles County, or other sub-populations that you feel suffer most in terms of accessing care or other resources to address any of the issues below.

Access to health care

Chronic disease conditions (i.e. diabetes, heart disease, high blood pressure, asthma, disability, HIV/AIDS)

Community safety and violence among youth

Early childhood development

Mental health

Nutrition and physical activity

Oral health care

Overweight and obesity

Youth at-risk behaviors

Youth development and workforce training

Other (please specify)

9. If community members were not always able to access the needed health or social support services, why not? Select the top 3

- Don't have health insurance
- Cannot afford it
- Transportation-related issues
- No specialist in the community for a specific condition
- Unable to take time off work
- Difficulty scheduling
- Language barrier
- Other (please specify)

10. What social, economic, or environmental factors do you feel contribute the most to poor health? Select the top 5

- | | |
|---|--|
| <input type="checkbox"/> Access to affordable health care | <input type="checkbox"/> Lack of dental care access |
| <input type="checkbox"/> Access to healthy and affordable foods | <input type="checkbox"/> Lack of disease management |
| <input type="checkbox"/> Air quality | <input type="checkbox"/> Lack of health education |
| <input type="checkbox"/> Alcohol abuse | <input type="checkbox"/> Lack of health screenings |
| <input type="checkbox"/> Cultural practices/behaviors | <input type="checkbox"/> Language barriers |
| <input type="checkbox"/> Education Level | <input type="checkbox"/> Physical activity |
| <input type="checkbox"/> Healthy eating | <input type="checkbox"/> Safety |
| <input type="checkbox"/> Homelessness | <input type="checkbox"/> Substance abuse |
| <input type="checkbox"/> Housing | <input type="checkbox"/> Transportation-related issues |
| <input type="checkbox"/> Lack of awareness of the available health and/or social services | <input type="checkbox"/> Unemployment |
| <input type="checkbox"/> Other (please specify) | |

11. If community members (including yourself) have a chronic health condition such as diabetes, heart disease, asthma, etc., how is it kept under control? Select all that apply

- Support from health care provider
- Health education (i.e. disease specific information)
- Support groups
- Take prescribed medication
- Stay active (i.e. exercise and other physical movements)
- Other (please specify)

12. Where do community members (including yourself,) go to receive information and/or assistance with whatever problem they are having? Select all that apply

- | | |
|--|---|
| <input type="checkbox"/> Community based organization/agency | <input type="checkbox"/> Local school |
| <input type="checkbox"/> Community center | <input type="checkbox"/> Natural remedies/at home remedies |
| <input type="checkbox"/> Community clinic | <input type="checkbox"/> Primary Care Physician |
| <input type="checkbox"/> Curanderos/Traditional Healers | <input type="checkbox"/> Urgent care |
| <input type="checkbox"/> Emergency room | <input type="checkbox"/> Hospital |
| <input type="checkbox"/> Internet | <input type="checkbox"/> Go outside of the community to access services |
| <input type="checkbox"/> Local Health Department | |
| <input type="checkbox"/> Other (please specify) | |

13. Which healthy behavior is most difficult to encourage among community members (including yourself)? Select the top 3

- Appropriate use of prescribed medication
- Managing a chronic condition
- Healthy eating
- Preventative dental care
- Preventive healthcare including health screenings
- Regular exercise
- Other (please specify)

14. What might CHLA do to better meet the health needs of the community? Please explain

2019 CHLA Community Health Needs Assessment Survey

Please tell us about yourself.

The following information will be kept confidential and is only for the purpose of data analysis.

15. Are you a CHLA employee?

Yes

No

16. How long have you been an employee of CHLA. Please enter in years and months.

Number of years

Number of months

17. What is your title?

18. What ZIP Code do you live in?

ZIP Code

19. What is your age?

Under 18 years old

18-24 years old

25-34 years old

35-44 years old

45-54 years old

55-64 years old

65 and older years old

20. What is your ethnicity?

African-American/Black

American Indian/Alaska Native

Asian

Caucasian

Hispanic/Latino

Native Hawaiian/Pacific Islander

Other (please specify)

21. What is your gender?

APPENDIX C

Community Input

Tracking

CHLA COMMUNITY INPUT TRACKING

A. Primary Data Collection

Data Collection Method Employed	Who Participated	Number of Participants
Online Survey	Community Members <ul style="list-style-type: none"> • CHLA staff • Nurse • Division Administrator • Clinical Administrator • CHLA Volunteers • CEO • Project Coordinator 	33

B. Prioritization Meeting

Data Collection Method Employed	Who Participated	Number of Participants
Prioritization Forum	Organizations that participated <ul style="list-style-type: none"> • AltaMed • Asian Pacific Healthcare Venture • Child Care Resource Center-Head Start Health Specialist • Child Care Resource Center-Inclusion Specialist • Child 360 • Children’s Hospital Los Angeles – Chaplain • Children’s Hospital Los Angeles – Clinical Programs • Children’s Hospital Los Angeles – Community Affairs • Children’s Hospital Los Angeles – Family Advisory Council • Children’s Hospital Los Angeles – Pediatric Residency Program • Children’s Hospital Los Angeles – Promotoras • Children Now • CHLA Community Affairs • City Council • Community Clinic Association of LA County • Community Health Councils • Downtown LA YMCA • Eastern Los Angeles Regional Center • Junior Ambassador • Junior Ambassador Parent • Los Angeles • Los Angeles County Department of Public Health • March of Dimes • Office of Senator Kevin de León 	48

Data Collection Method Employed	Who Participated	Number of Participants
	<ul style="list-style-type: none"> • Safety Belt Safe U.S.A. • STEM Academy • Thai Health And Information Services, Inc. • UCLA-Research with Children’s Data Network • Uplift Family Services • USC Family Medicine • Work Site Wellness-Executive Director • Youth Policy Institute • Zero to Three 	